



AUTOMAZIONE TORINO s.r.l.

SISTEMI E COMPONENTI PNEUMATICI



Pneumatic Motor

CATALOGO

**Motori
Pneumatici**



per l'automazione
industriale.

Motore pneumatico





Type									
	kW Hp	n/1'	n/1'	Nm	Nm	l/s	kg		
MAR.1/3000	0,8 1,1	3000	1650	4,7	6,6	21	5,5	3/8"	-
MAR.1/1150	0,8 1,1	1150	630	12,3	17,2	21	9,0	3/8"	1 RS
MAR.1/700	0,8 1,1	700	380	20,3	28,4	21	9,0	3/8"	1 R
MAR.1/500	0,8 1,1	500	270	28,6	40,0	21	9,0	3/8"	1R
MAR.1/175	0,7 1,0	175	99	67,3	94,2	21	9,5	3/8"	2 RM
MAR.1/160	0,7 1,0	160	90	78,1	109,3	21	9,5	3/8"	2 R
MAR.1/125	0,7 1,0	125	70	95,2	133,3	21	9,5	3/8"	2 RM
MAR.1/115	0,7 1,0	115	65	108,2	151,5	21	9,5	3/8"	2 R
MAR.1/80	0,7 1,0	80	45	156,3	218,8	21	9,5	3/8"	2 R

MAR.1/3000



**MAR.1/RIDUTTORE
MAR.1/GEAR**










	A	B	C	D	E	F	G
1 RS	276,0	284,0	312,0	365,0	50	24	7 x 7 x 30
1 R	234,0	242,0	270,0	315,0	40	19	6 x 6 x 25
2 R	271,0	279,0	307,0	352,0	40	19	6 x 6 x 25



Motore pneumatico






6 x 6 x 25



Motore pneumatico










Type									
	kW Hp	n/1'	n/1'	Nm	Nm	l/s	kg		
MAR.2/2500	1,6 2,20	2500	1400	11,0	15,4	30	11,3	3/8" o 1/2"	-
MAR.2/1100	1,5 2,10	1100	600	24,6	34,4	30	19,0	3/8" o 1/2"	1 RS
MAR.2/580	1,5 2,10	580	320	46,1	64,5	30	19,0	3/8" o 1/2"	1 R
MAR.2/410	1,5 2,10	410	220	67,1	93,9	30	19,0	3/8" o 1/2"	1 R
MAR.2/130	1,5 2,05	130	75	192,2	269,1	30	22,8	3/8" o 1/2"	2 R
MAR.2/95	1,5 2,05	95	55	262,1	367,0	30	22,8	3/8" o 1/2"	2 R
MAR.2/70	1,5 2,05	70	40	360,4	504,6	30	22,8	3/8" o 1/2"	2 R



	A	B	C
1 RS	328,6	362,6	426,1
1 R	284,6	318,6	382,1
2 R	336,6	370,6	434,1

Motore pneumatico




Motore pneumatico




Type									
	kW Hp	n/1'	n/1'	Nm	Nm	l/s	kg		
MAR.3/2000	2,1 2,80	2000	1100	17,9	25,1	33	12,7	3/8" o 1/2"	-
MAR.3/890	2,0 2,70	890	490	38,7	54,2	33	20,2	3/8" o 1/2"	1 RS
MAR.3/460	2,0 2,70	460	250	76,0	106,3	33	20,4	3/8" o 1/2"	1 R
MAR.3/330	2,0 2,70	330	180	105,5	147,7	33	20,4	3/8" o 1/2"	1 R
MAR.3/110	1,9 2,60	110	60	304,7	426,6	33	24,2	3/8" o 1/2"	2 RA
MAR.3/80	1,9 2,60	80	40	457,1	639,9	33	41,0	3/8" o 1/2"	2R o 2RA
MAR.3/50	1,9 2,60	50	30	609,4	853,2	33	41,0	3/8" o 1/2"	2R o 2RA

MAR. 3








MAR. 3 RIDUTTORE



Motore pneumatico



	G	H	I	L	Chiavette
1 RS	100	140	120	72°	8 x 7 x 40
1 R	100	140	120	72°	8 x 7 x 40
2 R	115	180	130	45°	14 x 14 x 80
2 RA	100	140	120	72°	8 x 7 x 40



Motore pneumatico

